


Filetage mâle hexagonal MHN



| Référence Parker | Filetage mâle NPT | | L HEX | D (po.) | R (po.) | Pressions de service (PSIG) | | |
|---------------------|----------------------|----------------|----------|------------|------------|--------------------------------|---------------------|--------|
| | T ₁ | T ₂ | | | | Laiton | Acier inoxydable | Acier |
| | | | | | | | | |
| 1-1 MHN | 1/16 | 1/16 | 7/16 | 1,06 | 0,38 | 6000 | 10000 | 10 500 |
| 2-1 MHN | 1/8 | 1/16 | 7/16 | 1,06 | 0,38 | 5 600 | 9 100 | 9 700 |
| 2-2 MHN | 1/8 | 1/8 | 7/16 | 1,06 | 0,38 | 5 600 | 9 100 | 9 700 |
| 4-1 MHN | 1/4 | 1/16 | 5/8 | 1,25 | 0,56/0,38 | 4 100 | 7 500 | 8 000 |
| 4-2 MHN | 1/4 | 1/8 | 5/8 | 1,25 | 0,56/0,38 | 4 100 | 7 500 | 8 000 |
| 4-4 MHN | 1/4 | 1/4 | 5/8 | 1,45 | 0,56 | 4 100 | 7 500 | 8 000 |
| 6-1 MHN | 3/8 | 1/16 | 3/4 | 1,27 | 0,56/0,38 | 4 000 | 7 200 | 7 600 |
| 6-2 MHN | 3/8 | 1/8 | 3/4 | 1,27 | 0,56/0,38 | 4 000 | 7 200 | 7 600 |
| 6-4 MHN | 3/8 | 1/4 | 3/4 | 1,45 | 0,56 | 4 000 | 7 200 | 7 600 |
| 6-6 MHN | 3/8 | 3/8 | 3/4 | 1,45 | 0,56 | 4 000 | 7 200 | 7 600 |
| 8-2 MHN | 1/2 | 1/8 | 7/8 | 1,52 | 0,75/0,38 | 3 900 | 6 600 | 7 000 |
| 8-4 MHN | 1/2 | 1/4 | 7/8 | 1,70 | 0,75/0,56 | 3 900 | 6 600 | 7 000 |
| 8-6 MHN | 1/2 | 3/8 | 7/8 | 1,70 | 0,75/0,56 | 3 900 | 6 600 | 7 000 |
| 8-8 MHN | 1/2 | 1/2 | 7/8 | 1,89 | 0,75 | 3 900 | 6 600 | 7 000 |
| 12-2 MHN | 3/4 | 1/8 | 1-1/8 | 1,59 | 0,75/0,38 | 3 800 | 6 400 | 6 800 |
| 12-4 MHN | 3/4 | 1/4 | 1-1/8 | 1,78 | 0,75/0,56 | 3 800 | 6 400 | 6 800 |
| 12-6 MHN | 3/4 | 3/8 | 1-1/8 | 1,78 | 0,75/0,56 | 3 800 | 6 400 | 6 800 |
| 12-8 MHN | 3/4 | 1/2 | 1-1/8 | 1,97 | 0,75 | 3 800 | 6 400 | 6 800 |
| 12-12 MHN | 3/4 | 3/4 | 1-1/8 | 1,97 | 0,75 | 3 800 | 6 400 | 6 800 |
| 16-2 MHN | 1 | 1/8 | 1-3/8 | 1,78 | 0,94/0,38 | 2 700 | 4 600 | 4 900 |
| 16-4 MHN | 1 | 1/4 | 1-3/8 | 1,97 | 0,94/0,56 | 2 700 | 4 600 | 4 900 |
| 16-6 MHN | 1 | 3/8 | 1-3/8 | 1,97 | 0,94/0,56 | 2 700 | 4 600 | 4 900 |
| 16-8 MHN | 1 | 1/2 | 1-3/8 | 2,16 | 0,94/0,75 | 2 700 | 4 600 | 4 900 |
| 16-12 MHN | 1 | 3/4 | 1-3/8 | 2,09 | 0,94/0,75 | 2 700 | 4 600 | 4 900 |
| 16-16 MHN | 1 | 1 | 1-3/8 | 2,34 | 0,94 | 2 700 | 4 600 | 4 900 |
| 20-16 MHN | 1-1/4 | 1 | 1-3/4 | 2,45 | 0,97/0,94 | 2 000 | 3 500 | 3 700 |
| 20-20 MHN | 1-1/4 | 1-1/4 | 1-3/4 | 2,48 | 0,97 | 2 000 | 3 500 | 3 700 |
| 24-24 MHN | 1-1/2 | 1-1/2 | 2 | 2,61 | 1,00 | 1 800 | 2 900 | 3 100 |